EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
_1	1	"7200636".pn. and filter\$5 near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 19:57
_2	0	"7200636".pn. and updat\$5 near4 server	US-PGPUB; USPAT	OR	ON	2008/08/13 20:11
L3	0	"7200636".pn. and updat\$5 near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 20:11
 L4	1	"7200636".pn. and updat\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 20:11
L5	1	"7200636".pn. and match\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 20:14
L6	1	"7200636".pn. and match\$5 and filter \$5	US-PGPUB; USPAT	OR	ON	2008/08/13 20:14
L7	1	6 and match\$5 near4 filter\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 20:15
L8	0	"7200636".pn. and filter near3 message	US-PGPUB; USPAT	OR	ON	2008/08/13 20:46
L9	1	"7200636".pn. and filter near12 message	US-PGPUB; USPAT	OR	ON	2008/08/13 20:46
L10	1	"7200636".pn. and (dient user)	US-PGPUB; USPAT	OR	ON	2008/08/13 20:49
L11	1	"7200636".pn. and (dient user) and request\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 20:51
L12	24887	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L13	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L14	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L15	43	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L16	14	L15 same server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L17	6	L15 with server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L18	19	L12 and L15	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L19	8	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L20	7	L19 and updat\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L21	16	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L22	26	(classif\$8 and message and updat\$5).	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L23	0	classif\$5 near3 messsage near12 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L24	45	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L25	0	L22 and L24	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L26	117	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L27	1	L22 and L26	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L28	523	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L29	3788	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L30	16	L28 and L29 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L31	17	L28 and L29	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L32	8	L30 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L33	14	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/13 21:06
L34	23307	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/13 21:06
L35	0	L33 and L34	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 21:06
L36	0	L33 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 21:06
L37	523	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L38	3788	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L39	16	L37 and L38 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L40	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L41	0	"classifed messages on a client"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L42	0	"classifed message on a client"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L43	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L44	5	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L45	5	L44 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L46	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L47	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L48	1	L47 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L49	29	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L50	29	L49 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L51	19	L49 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L52	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L53	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L54	1	L53 and rule	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L55	1	L52 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L56	1	L52 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L57	13	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L58	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L59	1	monitor\$5 near12 port near12 classif \$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L60	27342	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L61	1	L60 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L62	2	L60 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L63	2	L60 and L62 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L64	2	L63 and port	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L65	1	L64 and udp	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L66	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L67	1142	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L68	759	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L69	135	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L70	83	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L71	1011	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L72	2	L71 and L70	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L73	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/08/13 21:06
L74	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/08/13 21:06
L75	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L76	17	L75 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L77	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L78	7	L77 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L79	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L80	4210	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L81	45	L80 near2 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L82	1	L81 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L83	1	L81 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L84	3	L81 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L85	24887	709/203,206,217,219,220.cdls.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L86	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L87	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L88	43	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L89	14	L88 same server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L90	6	L88 with server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L91	19	L85 and L88	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L92	8	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L93	7	L92 and updat\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L94	16	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L95	26	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L96	0	classif\$5 near3 messsage near12 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L97	45	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L98	0	L95 and L97	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L99	117	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L100	1	L95 and L99	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L101	523	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L102	3788	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L103	16	L101 and L102 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L104	17	L101 and L102	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L105	8	L103 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L106	14		US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/13 21:06
L107	23307	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/13 21:06
L108	0	L106 and L107	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 21:06
L109	0	L106 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/13 21:06
L110	523	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L111	3788	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L112	16	L110 and L111 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/08/13 21:06
L113	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L114	0	"classifed messages on a client"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L115	0	"classifed message on a client"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L116	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L117	5	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L118	5	L117 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L119	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L120	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L121	1	L120 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L122	29	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L123	29	L122 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L124	19	L122 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L125	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L126	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L127	1	L126 and rule	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L128	1	L125 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L129	1	L125 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L130	13	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L131	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L132	1	monitor\$5 near12 port near12 classif \$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L133	27342	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L134	1	L133 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L135	2	L133 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L136	2	L133 and L135 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L137	2	L136 and port	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L138	1	L137 and udp	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L139	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L140	1142	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L141	759	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L142	135	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L143	83	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L144	1011	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L145	2	L144 and L143	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L146	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/08/13 21:06
L147	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/08/13 21:06
L148	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L149	17	L148 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L150	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L151	7	L150 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L152	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L153	4210	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L154	45	L153 near2 message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L155	1	L154 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L156	1	L154 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L157	3	L154 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L158	0	rules near3 "for classifying messages"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L159	14	rules near3 "classifying messages"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L160	4	L159 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L161	41	filter\$5 near12 message near12 client near12 (send sending sent) near2 message near4 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L162	1	L161 same classif\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L163	21	L161 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L164	0	L163 and classif\$5 near2 message near3 rule	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L165	10	L163 and filter\$5 and rule and (sent sending sent) and message and client and message near3 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L166	644817	L165 and updat\$5 (classif\$5 or rule)	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L167	10	L165 and updat\$5 and (classif\$5 or rule)	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06

L168	0	"2003152035"	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L169	1	"7200636".pn.	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L170	1	L169 and server near12 client near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L171	1	L169 and message near12 client near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L172	1	L169 and message near12 client	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L173	1	L169 and message near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
L174	1	L169 and filter\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 21:06
S1	20693	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/06 00:05
S2	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2007/07/06 00:07
S3	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2007/07/06 00:11
S4	33	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2007/07/06 00:11
S5	10	S4 same server	US-PGPUB; USPAT	OR	ON	2007/07/06 00:12
S6	6	S4 with server	US-PGPUB; USPAT	OR	ON	2007/07/07 11:42
S7	13	S1 and S4	US-PGPUB; USPAT	OR	ON	2007/07/06 00:31
S8	8	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:04
S9	7	S8 and updat\$5	US-PGPUB; USPAT	OR	ON	2007/07/07 12:04
S10	11	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2007/07/07 12:29
S11	19	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2007/07/07 12:30
S12	0	classif\$5 near3 messsage near12 client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:31
S13	35	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:49
S14	0	S11 and S13	US-PGPUB; USPAT	OR	ON	2007/07/07 12:48
S15	91	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2007/07/07 12:49
S16	1	S11 and S15	US-PGPUB; USPAT	OR	ON	2007/07/07 12:49
S17	431	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:08
S18	3293	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:08

S19	15	S17 and S18 and updat\$5	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:09
S20	16	S17 and S18	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:09
S21	7	\$19 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2007/07/07 13:10
S22	13	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/07 13:28
S23	18105	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/07 13:29
S24	0	S22 and S23	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/07 13:30
S25	0	S22 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/07 13:30
S26	431	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2007/07/07 14:36
S27	3293	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2007/07/07 14:36
S28	15	S26 and S27 and updat\$5	US-PGPUB; USPAT	OR	OFF	2007/07/07 14:36
S29	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2007/07/07 14:53
S30	0	"classifed messages on a client"	US-PGPUB; USPAT	OR	ON	2007/07/07 14:53
S31	0	"classifed message on a client"	US-PGPUB; USPAT	OR	ON	2007/07/07 14:53
S32	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2007/07/07 14:54
S33	5	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2007/07/07 15:10
S34	5	S33 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2007/07/07 15:11
S35	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2007/07/08 00:22
S36	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2007/07/08 00:27
S37	1	S36 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2007/07/08 00:28
S38	27	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/01/31 12:44
S39	27	S38 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/01/31 12:45
S40	18	S38 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/01/31 12:45
S42	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/02/02 12:26

S43	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/02/02 12:28
S44	1	S43 and rule	US-PGPUB; USPAT	OR	ON	2008/02/02 12:51
S45	1	S42 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/02/02 13:06
S46	1	S42 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 13:27
S47	9	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/02/02 14:58
S48	11	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:01
S49	1	monitor\$5 near12 port near12 classif \$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:12
S50	25561	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/02/02 15:13
S51	1	S50 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:13
S52	2	S50 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:13
S53	2	S50 and S52 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:15
S54	2	S53 and port	US-PGPUB; USPAT	OR	ON	2008/02/02 15:19
S55	1	S54 and udp	US-PGPUB; USPAT	OR	ON	2008/02/02 15:24
S56	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:27
S57	1036	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:27
S58	718	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:28
S59	127	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:28
S60	76	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:33
S61	897	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/02/02 15:34
S62	2	S61 and S60	US-PGPUB; USPAT	OR	ON	2008/02/02 15:34
S63	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/02/02 15:35
S64	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/02/02 15:35
S65	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 15:47
S66	17	S65 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 15:56
S67	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 16:35

S68	7	S67 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 16:35
S69	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/02/02 16:36
S70	3954	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/02/02 16:37
S71	40	S70 near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S72	1	S71 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S73	1	S71 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S74	3	S71 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 16:38
S75	22745	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S76	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S77	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S78	39	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S79	12	S78 same server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S80	6	S78 with server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S81	16	S75 and S78	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S82	8	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S83	7	S82 and updat\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S84	13	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S85	21	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S86	0	classif\$5 near3 messsage near12 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S87	41	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S88	0	S85 and S87	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S89	102	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S90	1	S85 and S89	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S91	470	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S92	3550	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45

S93	16	S91 and S92 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S94	17	S91 and S92	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S95	8	\$93 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S96	14	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681"). PN. OR ("5619697").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/02 19:45
S97	20641	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/02 19:45
S98	0	S96 and S97	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/02 19:45
S99	0	S96 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/02 19:45
S100	470	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S101	3550	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S102	16	S100 and S101 and updat\$5	US-PGPUB; USPAT	OR	OFF	2008/02/02 19:45
S103	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S104	0	"classifed messages on a client"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S105	0	"classifed message on a client"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S106	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S107	5	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S108	5	S107 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S109	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S110	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S111	1	S110 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S112	27	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S113	27	S112 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S114	18	S112 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S115	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45

S116	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S117	1	S116 and rule	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S118	1	S115 and client near12 spam	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S119	1	S115 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S120	9	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S121	11	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S122	1	monitor\$5 near12 port near12 classif \$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S123	25561	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S124	1	S123 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S125	2	S123 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S126	2	S123 and S125 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S127	2	S126 and port	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S128	1	S127 and udp	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S129	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S130	1036	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S131	718	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S132	127	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S133	76	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S134	897	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S135	2	S134 and S133	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S136	0	("2005/0204001").URPN.	USPAT	OR	OFF	2008/02/02 19:45
S137	0	("2005/0091322").URPN.	USPAT	OR	OFF	2008/02/02 19:45
S138	24	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S139	17	S138 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S140	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45

S141	7	S140 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S142	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S143	3954	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S144	40	S143 near2 message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S145	1	S144 same classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S146	1	S144 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S147	3	S144 and classifi\$5	US-PGPUB; USPAT	OR	ON	2008/02/02 19:45
S148	0	rules near3 "for classifying messages"	US-PGPUB; USPAT	OR	ON	2008/08/13 16:34
S149	14	rules near3 "classifying messages"	US-PGPUB; USPAT	OR	ON	2008/08/13 16:34
S150	4	S149 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2008/08/13 16:34
S151	41	filter\$5 near12 message near12 client near12 (send sending sent) near2 message near4 server	US-PGPUB; USPAT	OR	ON	2008/08/13 16:38
S152	1	S151 same classif\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 16:38
S153	21	S151 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2008/08/13 16:39
S154	0	S153 and classif\$5 near2 message near3 rule	US-PGPUB; USPAT	OR	ON	2008/08/13 16:40
S155	10	S153 and filter\$5 and rule and (sent sending sent) and message and client and message near3 client	US-PGPUB; USPAT	OR	ON	2008/08/13 16:59
S156	644817	S155 and updat\$5 (classif\$5 or rule)	US-PGPUB; USPAT	OR	ON	2008/08/13 16:59
S157	10	S155 and updat\$5 and (classif\$5 or rule)	US-PGPUB; USPAT	OR	ON	2008/08/13 17:00
S158	0	"2003152035"	US-PGPUB; USPAT	OR	ON	2008/08/13 17:55
S159	1	"7200636".pn.	US-PGPUB; USPAT	OR	ON	2008/08/13 18:58
S160	1	S159 and server near12 client near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 19:00
S161	1	S159 and message near12 client near12 server	US-PGPUB; USPAT	OR	ON	2008/08/13 19:01
S162	1	S159 and message near12 client	US-PGPUB; USPAT	OR	ON	2008/08/13 19:11
S163	1	S159 and message near12 (client user)	US-PGPUB; USPAT	OR	ON	2008/08/13 19:20
S164	1	S159 and filter\$5	US-PGPUB; USPAT	OR	ON	2008/08/13 19:41

8/13/08 9:10:03 PM